

Zirkonzahn®



CAD/CAM SYSTEM 5-TEC

Human Zirconium Technology

Product catalogue 2011

Ordering options and terms of delivery

Thank you for being interested in our products. On these pages you can find general information concerning ordering options and terms of delivery of our products.

Ordering options

- Zirkonzahn e-shop with attractive ordering advantages: www.shop.zirkonzahn.com
- Ordering material via email: sales@zirkonzahn.com
- Ordering material via fax: +39 0474 066 661
- **Ordering hotline: +39 0474 066 600**

Terms of delivery



Due to country-specific characteristics concerning products declared as dangerous goods, Zirkonzahn reserves its right to change the terms of delivery, to refrain from delivering or to deliver only under special transport conditions.

Orders composed of dangerous and non-dangerous goods can be, if desired, sent dividedly in order to ensure shorter delivery times for the non-dangerous ones.

In this case, higher delivery costs will occur.

Delivery times for shipments with UPS (orders placed before 12 o'clock):

- Within 24 hours to Italy, Germany and Austria
- Within 48 hours to all other EU-countries
- Within 4 working days to non EU-countries (depending on the customs clearance)

Delivery times for shipments with GLS (EXECUTIVE) (orders placed before 12 o'clock):

- Within 24 hours to Italy
- Within 2-3 working days to Germany and Austria
- Within 4-5 working days to other EU-countries
- From 4 working days to non EU-countries (depending on the customs clearance)

The catalogue prices are subject to change and do not include VAT.

Please note that the photographs used may differ from the original.




















Products which are new to our assortment are highlighted by this symbol. Furthermore, also the product categories which contain them are highlighted by the same symbol.

Study, experience, knowledge – our courses

We gladly show you how it's done! – Information about our training courses are contained in a special course brochure. On request, we will gladly send it to you.

On www.zirkonzahn.com you can find news, the latest training dates and you also have the possibility for online inscription to trainings or our forum.

Index

	CAD/CAM Zirconia Blanks		4 – 5
	CAD/CAM Resin Blanks		6 – 9
	CAD/CAM Wax Blanks		10 – 11
	CAD/CAM Wood / Zirconia black		12 – 13
	CAD/CAM Milling Burs		14 – 25
	CAD/CAM Equipment		26 – 35
	CAD/CAM Software		36 – 39
	CAD/CAM Accessories		40 – 45
	Order Form		46 – 47




Call **+39 0474 066 600**
for easy and direct orders



Order directly with ease
from our **Online-Shop**.
www.shop.zirkonzahn.com

CAD/CAM Prettau Zirconia

Use only in combination with Prettau Colour Liquids and metal-free brushes




Prettau Zirconia 95H10

Amount per package: 1 pc

Height: 10 mm

Highly translucent zirconia blanks for several single crowns up to large bridges in 100% full zirconia

Item number: ZRAD8001




Prettau Zirconia 95H14

Amount per package: 1 pc

Height: 14 mm

Highly translucent zirconia blanks for several single crowns up to large bridges in 100% full zirconia

Item number: ZRAD8021




Prettau Zirconia 95H18

Amount per package: 1 pc

Height: 18 mm

Highly translucent zirconia blanks for several single crowns up to large bridges in 100% full zirconia

Item number: ZRAD8041



Prettau Zirconia 95H22

Amount per package: 1 pc

Height: 22 mm

Highly translucent zirconia blanks for several single crowns up to large bridges in 100% full zirconia

Item number: ZRAD8061



Prettau Zirconia 95XH30

Amount per package: 1 pc


Height: 30 mm

Highly translucent Zirconia blanks For over-size 100% full zirconia restorations

Item number: ZRAD8071



CAD/CAM ICE Zirkon Translucent



Zirconia Translucent 95H10

Amount per package: 1 pc

Height: 10 mm

For multiple single crowns up to large bridges

Item number: ZRAB8001




Zirconia Translucent 95H14

Amount per package: 1 pc

Height: 14 mm

For multiple single crowns up to large bridges

Item number: ZRAB8021




Zirconia Translucent 95H18

Amount per package: 1 pc

Height: 18 mm

For multiple single crowns up to large bridges

Item number: ZRAB8041



Zirconia Translucent 95H22

Amount per package: 1 pc

Height: 22 mm

For multiple single crowns up to large bridges

Item number: ZRAB8061

CAD/CAM Temp Basic



Temp Basic A1 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0116



Temp Basic A2 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0216



Temp Basic A3 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0316



Temp Basic B1 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0616



Temp Basic X-Ray 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

X-Ray opaque material

Item number: TMAA1716

CAD/CAM Temp Basic



Temp Basic A1 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0120



Temp Basic A2 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0220



Temp Basic A3 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0320



Temp Basic B1 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

Item number: TMAA0620



Temp Basic X-Ray 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for short term temporary restorations

X-Ray opaque material

Item number: TMAA1720

CAD/CAM Temp Premium



Temp Premium A1-B1 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB0116



Temp Premium A2-A3 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB0216



Temp Premium B2-B3 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB0616



Temp Premium C2-C3 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB1016



Temp Premium Rigid green 95H16

Amount per package: 1 pc

Height: 16 mm

*For fitting in all kind of constructions
100% burn out*

Item number: TMAC0116



CAD/CAM Temp Premium



Temp Premium A1-B1 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB0120



Temp Premium A2-A3 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB0220



Temp Premium B2-B3 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB0620



Temp Premium C2-C3 95H20

Amount per package: 1 pc

Height: 20 mm

For manufacture of single crowns to large bridges in resin for long term temporary restorations

Material with extended life span

Item number: TMAB1020



Temp Premium Rigid green 95H20

Amount per package: 1 pc

Height: 20 mm

For fitting in all kind of constructions
100% burn out

Item number: TMAC0120



CAD/CAM Wax



Wax white 95H10

Amount per package: 1 pc

Height: 10 mm

For manufacture of single crowns to large bridges in wax for the metal casting technique, pressed ceramics and also for wax build-up

Attention: no medical product!



Item number: WSAA0110



Wax grey 95H10

Amount per package: 1 pc

Height: 10 mm

For manufacture of single crowns to large bridges in wax for the metal casting technique and for pressed ceramics

Attention: no medical product!



Item number: WSAA0210



Wax white 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in wax for the metal casting technique, pressed ceramics and also for wax build-up

Attention: no medical product!



Item number: WSAA0116



Wax grey 95H16

Amount per package: 1 pc

Height: 16 mm

For manufacture of single crowns to large bridges in wax for the metal casting technique and for pressed ceramics

Attention: no medical product!



Item number: WSAA0216



Wooden blank olive 95H18

Amount per package: 1 pc

Height: 18 mm

*For manufacturing your own jewellery
(e.g. rings, pendants)*

Attention: no medical product!



Item number: HOAA8041



Wooden blank nut 95H18

Amount per package: 1 pc

Height: 18 mm

*For manufacturing your own jewellery
(e.g. rings, pendants)*

Attention: no medical product!



Item number: HOAB8041



Wooden blank oak 95H18

Amount per package: 1 pc

Height: 18 mm

*For manufacturing your own jewellery
(e.g. rings, pendants)*

Attention: no medical product!



Item number: HOAC8041

CAD/CAM Zirconia black



Zirconia black 95H10

Amount per package: 1 pc

Height: 10 mm

*For manufacturing your own jewellery
(e.g. rings, pendants)*

Attention: no medical product!

Item number: ZRAZ8001



Zirconia black 95H18

Amount per package: 1 pc

Height: 18 mm

*For manufacturing your own jewellery
(e.g. rings, pendants)*

Attention: no medical product!

Item number: ZRAZ8041



CAD/CAM Milling Burs



5-TEC Milling Bur 2 L

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M5
(rough milling)*

Item number: FR035



5-TEC Milling Bur 1 L

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M5
(precise milling)*

Item number: FR045



5-TEC Milling Bur 0,5 S

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M5
(precise milling)*

Item number: FR055



5-TEC Milling Bur 1,5 A

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M5
(abutment)*

Item number: FR235

CAD/CAM Milling Burs



5-TEC Milling Bur 0,6 A

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M5
(abutment)*

Item number: FR225



5-TEC Milling Bur 0,3 C

Quantity: 1 pc

*Used to mill occlusal fissures
with milling unit M5*

Item number: FR435

CAD/CAM Milling Burs PMMA



5-TEC Milling Bur 2 L PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M5
(rough milling)*

Item number: FR036



5-TEC Milling Bur 1 L PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M5
(precise milling)*

Item number: FR046



5-TEC Milling Bur 0,5 S PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M5
(precise milling)*

Item number: FR056



5-TEC Milling Bur 1,5 A PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M5
(abutment)
Only apt for Temp Basic*

Item number: FR236

CAD/CAM Milling Burs PMMA



5-TEC Milling Bur 0,6 A PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M5
(abutment)
Only apt for Temp Basic*

Item number: FR226



5-TEC Milling Bur 0,3 C PMMA

*Quantity: 1 pc
Used to mill occlusal fissures from resin
with milling unit M5*

Item number: FR436

CAD/CAM Milling Burs Wax



5-TEC Milling Bur 2 L WAX

Quantity: 1 pc
Used to mill wax
with milling unit M5
(rough milling)

Item number: FR037



5-TEC Milling Bur 1 L WAX

Quantity: 1 pc
Used to mill wax
with milling unit M5
(precise milling)

Item number: FR047



5-TEC Milling Bur 0,5 S WAX

Quantity: 1 pc
Used to mill wax
with milling unit M5
(precise milling)

Item number: FR057



5-TEC Milling Bur 1,5 A WAX

Quantity: 1 pc
Used to mill wax
with milling unit M5
(abutment)

Item number: FR237



CAD/CAM Milling Burs Wax



5-TEC Milling Bur 0,6 A WAX

Quantity: 1 pc

*Used to mill wax
with milling unit M5
(abutment)*

Item number: FR227



5-TEC Milling Bur 0,3 C WAX

Quantity: 1 pc

*Used to mill occlusal fissures
with milling unit M5*

Item number: FR437



CAD/CAM Milling Burs



M3 Milling Bur 2 L

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M3
(rough milling)*

Item number: FR0101



M3 Milling Bur 1 L

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M3
(precise milling)*

Item number: FR0201



M3 Milling Bur 0,5 S

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M3
(precise milling)*

Item number: FR0301



M3 Milling Bur 1,5 A

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M3
(abutment)*

Item number: FR0401



CAD/CAM Milling Burs



M3 Milling Bur 0,6 A

Quantity: 1 pc

*Used to mill pre-sintered zirconia
with milling unit M3
(abutment)*

Item number: FR0501



M3 Milling Bur 0,3 C

Quantity: 1 pc

*Used to mill occlusal fissures
with milling unit M3*

Item number: FR0601



CAD/CAM Milling Burs PMMA



M3 Milling Bur 2 L PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M3
(rough milling)*

Item number: FR0106



M3 Milling Bur 1 L PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M3
(precise milling)*

Item number: FR0206



M3 Milling Bur 0,5 S PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M3
(precise milling)*

Item number: FR0306



M3 Milling Bur 1,5 A PMMA

*Quantity: 1 pc
Used to mill resin
with milling unit M3
(abutment)
Only apt for Temp Basic*

Item number: FR0406



CAD/CAM Milling Burs PMMA



M3 Milling Bur 0,6 A PMMA

Quantity: 1 pc
Used to mill resin
with milling unit M3
(abutment)
Only apt for Temp Basic



Item number: FR0506



M3 Milling Bur 0,3 C PMMA

Quantity: 1 pc
Used to mill occlusal fissures from resin
with milling unit M3



Item number: FR0606

CAD/CAM Milling Burs Wax



M3 Milling Bur 2 L WAX

Quantity: 1 pc
Used to mill wax
with milling unit M3
(rough milling)

Item number: FR0107



M3 Milling Bur 1 L WAX

Quantity: 1 pc
Used to mill wax
with milling unit M3
(precise milling)

Item number: FR0207



M3 Milling Bur 0,5 S WAX

Quantity: 1 pc
Used to mill wax
with milling unit M3
(precise milling)

Item number: FR0307



M3 Milling Bur 1,5 A WAX

Quantity: 1 pc
Used to mill wax
with milling unit M3
(abutment)

Item number: FR0407



CAD/CAM Milling Burs Wax



M3 Milling Bur 0,6 A WAX

Quantity: 1 pc
Used to mill wax
with milling unit M3
(abutment)

Item number: FR0507



M3 Milling Bur 0,3 C WAX

Quantity: 1 pc
Used to mill occlusal fissures
with milling unit M3

Item number: FR0607



CAD/CAM Equipment



CAD/CAM System 5-TEC

CAD/CAM milling system for pre-sintered zirconium dioxide, pre-sintered alumina, resin and wax

Item number: SY0094

System components:

- *Computer driven 5+1 axes milling unit M5 with 2 milling handpieces and milling bur calibration*
- *Fully automated optical scanner S600*
- *Scan-, modeling- and milling software*
- *Personal computer with screen*

5+1 axes simultaneous milling technology:

Our new trend-setting orbital milling technology with 5+1 simultaneously operating axes guarantees the optimal working angle for each milling tool. It means milling is possible at any conceivable work piece position. Even undercuts and diverging abutments are processed safely and speedily.

The difference

Our simultaneous 5+1 axes milling technology, compared to '4+1 axes' systems, allows for the work piece to be swivelled in all directions like a ball. Conventional 4+1 systems merely follow a predefined path of movement which cannot be altered

Contrary to basic mathematics, 4+1 axes do NOT equal 5 axes in milling technology!

CAD/CAM Equipment

Software:

The software package includes archive software „Zirkonzahn.Archiv“, scan software „Zirkonzahn.Scan“, mock-up software „Zirkonzahn.Modellier“, milling software „Zirkonzahn.Fräsen“ and nesting software „Zirkonzahn.Nesting“.


Even the basic version offers a multitude of applications: Scan from single dies to full models for easy design of crown and bridge work. Some of the aids available feature automatic margin-recognition and a free-form tool ensuring unlimited creativity.

Bridge connectors, cement space and wall thickness can be modified in size or dimension. In addition, manual nesting (milling objects) and pin inter-connection can be carried out manually or via mouse click. Milling strategies can be adapted and calculated either automatically or manually.

Additional module extensions: Inlay/Onlay, Prettau (fully anatomic), Telescopic Crowns, Occlusally Screwed Bridges, Attachment, Overpress crowns and bridges, Wax-up/Situ/Mirror imaging, Bar, Abutments, Virtual articulator, Importation of STL-files, Jewellery

CAD/CAM System 5-TEC	Milling Unit M5	Scanner S600
Width	123,2 cm	47,7 cm
Overall height	69 cm	69,3 cm
Depth	53 cm (Plus connection for suction unit)	53 cm
Weight	210 kg	68 kg
Glass lining	Hardened Sicurit glass UNI ISO 12150	Hardened Sicurit glass UNI ISO 12150
Processing axes	5	2
Power capacity	600 W	200 W
Operating voltage	230 V (115 V)	230 V (115 V)
Power input	2,6 A (5,5 A)	0,9 A (1,9 A)
Chuck	Ø 3 mm	
Spindle speed	Standard version: max. 45.000 R.p.m. High-speed spindle: max. 110.000 R.p.m.	
Spindle motor	100 W	
Block diameter	Ø 95 mm	

CAD/CAM Equipment



(A)

(D)

(B)

(C)

Milling unit M5:

- 5+1 axes simultaneous milling technology with new trend-setting orbital system (A)
- Controlled axes with 5 micron resolution
- Multiple milling head system – accommodates up to 5 heads (B)
- Solid milling head design features two guide rails per head (C)
- Production capacity per day: approx. 100 units
- Milling operation control by webcam transmission in real time (D)
- Milling materials: Pre-sintered zirconium dioxide (ICE Zirkon Translucent, Prettau Zirconia), pre-sintered alumina, resin, wax, wood, metals (by means of a specially designed milling handpiece)
- Individual adaptability due to the modular system conception
- In the future expandable with: turbine, high-speed milling-handpiece, airbrush, laser and plasma technology



CAD/CAM Equipment


Milling Unit M5

Computer controlled 5+1 axes simultaneous milling unit M5, incl. PC and screen with pre-installed modeling (Zirkonzahn.Modellier) and milling software (Zirkonzahn.Fräsen)

Item number: SY0093



CAD/CAM Equipment



CAD/CAM Equipment

Scanner S600:

- Fully automated strip-light scanner
- Scannable objects: Individual dies, arch segments, full arch models, bite records, opposing dentition, wax-ups, mushbite, veneers, abutments, occlusal registrations, bite rims, tooth set-up aids
- Model rotation up to 360° and incline up to 100°: Any aspect of the object can be recorded (A)
- The extra-large survey parameters for whole-arch scans
- Opposing dentition scan: From mushbite records, complete arches
- Articulator scan (B)
- Scanning of mock-up framework (double scan)
- Precision of the scanner: $\leq 10 \mu\text{m}/\text{micron}$
- Easy application by a trained scan assistant
- Ultra-precision axis control (C)
- Dust-proof optical unit (D)
- Easy positioning of scan-model via laser point (E)
- Universal model port (F)




Scanner S600

Scanner S600 incl. PC, screen and scanning-software (Zirkonzahn.Scan)

Item number: SY0095



CAD/CAM Equipment



(A)

(C)

(B)

(D)

Our new, upgradable milling unit M3:

Characteristics:

- Constructed to grant access to the CAD/CAM world at a reasonable price
- Retroactively upgrade from 3+1 to 4+1 or 5+1 always possible (A)
- (see explanation on page 172)
- One milling handpiece with 1mm milling bur for the whole milling process (B)
- Possible upgrade with a milling bur with automatic tool-changing (C)
- Sliding door as protection from dust (D)
- Easy to clean, glass interior
- Modular construction, typical for Zirkozahn for upgrading and amplifying the system according to individual necessities
- Production capacity per day: approx. 100 units
- Milling materials: pre-sintered zirconium dioxide (ICE Zirkon Translucent, Prettau Zirconia), pre-sintered alumina, resin, wax

System limits:

- No upgrade with milling bur for other materials possible
- No multitasking
- No 5+5 axes simultaneous milling

CAD/CAM Equipment

New

Milling Unit M3 Upgrade




*Computer controlled upgradable
milling unit M3, incl. PC and screen with
pre-installed modeling
(Zirkonzahn.Modellier) and milling
software (Zirkonzahn.Fräsen)*



CAD/CAM Equipment

Milling Unit M3

Width	102 cm
Overall height	69 cm
Depth	52,9 cm
Weight	approx. 162 kg
Glass lining	Hardened Sicurit glass UNI ISO 12150
Processing axes	3+1 / 4+1 / 5+1
Power capacity	600 W
Operating voltage	230 V (115 V)
Power input	2,6 A (5,5 A)
Chuck	Ø 3 mm
Spindle speed	Standard version: max. 45.000 U/min
Spindle motor	100 W
Block diameter	Ø 95 mm



CAD/CAM Equipment

Upgradable
up to 5+1 axes



Precision
to the smallest detail



Milling bur calibration
with a precision up to 0,001 mm



CAD/CAM Software




Software Module CAD/CAM Inlay/Onlay

Quantity: 1 pc

Module for Inlays/Onlays and Veneers

Item number: SY0310



Software Module CAD/CAM Prettau (fully anatomic)

Quantity: 1 pc

*Module for full-anatomical designs
(incl. reduction option)*

Item number: SY0320




Software Module CAD/CAM Telescopic Crowns

Quantity: 1 pc

Module for primary telescopic crowns

Item number: SY0330




Software Module CAD/CAM Occlusally Screwed Bridges

Quantity: 1 pc

*Module for occlusally screwed bridges
and crowns*

Item number: SY0340




Software Module CAD/CAM Attachment

Quantity: 1 pc

Module for prefabricated attachments


Item number: SY0350



Software Module CAD/CAM Overpress crowns and bridges

Quantity: 1 pc
Module for 'press over' crown & bridgework

Item number: SY0360



Software Module CAD/CAM Wax-up/Situ/Mirror imaging

Quantity: 1 pc
Module for working with diagnostic wax-ups, situ-scans (Double Scan) and mirror imaging opposing arch scans with reference to scanned master model

Item number: SY0370



Software Module CAD/CAM Bar

Quantity: 1 pc
Module for custom bars

Item number: SY0380



Software Module CAD/CAM Abutments

Quantity: 1 pc
Module for abutments
Can be used only in combination with the software module "Occlusally Screwed Bridges"

Item number: SY0390



Software Module CAD/CAM Virtual articulator

Quantity: 1 pc
Module for articulated functional joint movements

Item number: SY0410

CAD/CAM Software



Software Module CAD/CAM Importation of STL-files

Quantity: 1 pc
Module for nesting and milling already modelled restauration files, created in format STL by other milling systems

Item number: SY0420



Software Module CAD/CAM Jewellery

Quantity: 1 pc
Module for creating geometrical forms
Can be used only in combination with the software module "Importation of STL-files"

Item number: SY0450



Zirconia black 95H10

Amount per package: 1 pc
Height: 10 mm
For manufacturing your own jewellery (e.g. rings, pendants)
Attention: no medical product!

Item number: ZRAZ8001



Zirconia black 95H18

Amount per package: 1 pc
Height: 18 mm
For manufacturing your own jewellery (e.g. rings, pendants)
Attention: no medical product!

Item number: ZRAZ8041



CAD/CAM Software



Milled with CAD/CAM System 5-TEC – 100% Zirconia



CAD/CAM Accessories



Warranty extension CAD/CAM “all-in”

*Duration: 1 year
Safe for the future
Exchange of all defective wearing and
spare parts of CAD/CAM System 5-TEC*

Item number: GARANTIE 01



Warranty extension Milling Unit M5 “all-in”

*Duration: 1 year
Safe for the future
Exchange of all defective wearing and
spare parts of Milling Unit M5*

Item number: GARANTIE 02



Warranty extension Scanner S600 “all-in”

*Duration: 1 year
Safe for the future
Exchange of all defective wearing and
spare parts of Scanner S600*

Item number: GARANTIE 03



2nd PC and screen incl. basic modeling software

*Content: Personal Computer incl. screen
(16:10 Widescreen) and basic installation
of the Zirkozahn modellation software
Zirkozahn.Modellier*

Item number: SY0170



Workbench scanner S600
(60 cm x 73 cm x 95 cm)

Item number: ZBZA0111



**Workbench milling-unit M5
and M3**

(133 cm x 73 cm x 95 cm)

Item number: ZBZA0101

CAD/CAM Accessories



Mock-up Support Plate for Scanner S600

Quantity: 1 pc
Ideal for Split-Cast base plates

Item number: ZBAC0101



Mock-up Support Plate Universal for Scanner S600

Quantity: 1 pc
Universal application independent of
articulator

Item number: ZBAC0121



Mock-up support Adesso Split for Scanner S600

Quantity: 1 pc
For fixing in Adesso Split models

Item number: ZBAC1301

New



Mock-up support Splitex® for Scanner S600

Quantity: 1 pc
For fixing in Splitex models

Item number: ZBAC1311

New

CAD/CAM Accessories



Mock-up support Axiosplit® for Scanner S600

Quantity: 1 pc
For fixing in Axiosplit models


Item number: ZBAC1321



Mock-up support Quicksplit® 4-radial for Scanner S600

Quantity: 1 pc
For fixing in Quicksplit models

Item number: ZBAC1331



Mock-up support Quicksplit® 6-radial for Scanner S600

Quantity: 1 pc
For fixing in Quicksplit models

Item number: ZBAC1341




Mock-up support KaVo for Scanner S600

Quantity: 1 pc
For fixing in KaVo models

Item number: ZBAC1351



CAD/CAM Accessories



Calibration Plate for Scanner S600

Quantity: 1 pc
For re-calibration of Scanner S600
(Corresponding data file for new
Calibration Plate available on request)

Item number: ZBAC0601



Zero-point stylus for milling-system M5

Quantity: 1 pc
For calibration of zero-position for
M5 milling unit

Item number: ZBAC0701



Milling handpiece 45.000 revolutions

Quantity: 1 pc
Milling head for M5 milling unit –
45000 rpm

Item number: SY0091



Zirko Scanspray

Quantity: 1 x 200 ml
For optimal scan results

Item number: ZBAC0201



Zirko Scanspray (pack of 5)

Quantity: 5 x 200 ml
For optimal scan results

Item number: ZBAC0205



CAD/CAM Accessories



Fuse

*Quantity: 1 pc
F6,3A L 250V for Scanner S600
and computer controlled 5+1 axes
milling unit M5*

Item number: ERAA3001



Articulator support S600 with positioning pattern

*Content:
1x Articulator support S600
1x Positioning pattern
To fix the articulator in the scanner S600*

Article code on demand,
depending on articulator system



Positioning pattern for articulator systems

*Content: 1 pc
To adapt the articulator support S600
to the various articulator systems
Available for various systems*

Article code on demand,
depending on articulator system

***The following positioning patterns are
available; others are planned:***

*Artex® BN, CT&CN and CR&CP,
ASA Dental, Dentatus ARH, KaVo,
Panadent SH, Quickmaster, SAM 2, 2P,
2PX and 3, Stratos® 100*

Tel: +39 0474 066 600

Fax: +39 0474 066 661

E-Mail: sales@zirkonzahn.com

ZIRKONZAHN GmbH

An der Ahr 7
I-39030 Gais

Tel +39 0474 066 600
Fax +39 0474 066 661

info@zirkonzahn.com
www.zirkonzahn.com

Please fax this form to the following number:

+39 0474 066 661

Field for your company stamp

Shipping address in case it is different from company address

Name: _____

Customer Number: _____

Tel. Nr. with area code: _____

Fax Nr. with area code: _____

E-mail: _____

Nr.	Quantity	Item number	Product Name
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			

Method of Payment:

Credit Card

Bank Transfer

Order of dangerous goods (Spray) delivery in two shipments (UPS and Executive)

Date: _____

Signature: _____

Headoffice (South Tirol):

Zirkonzahn GmbH
An der Ahr 7
39030 Gais - Italien
Tel: +39 0474 066 660
Fax: +39 0474 066 661
info@zirkonzahn.com
www.zirkonzahn.com
St Nr: IT02376910218

Sales Department:

Tel: +39 0474 066 680

Marketing Department:

Tel: +39 0474 066 670

Support:

Tel: +39 0474 066 630

Logistics:

Tel: +39 0474 066 600

Albania:

Safir SH.P.K.

Rr. Naim Frasheri Nr. 259

Tirana

Tel: +355 423 0404

Fax: +355 423 8997

safir@abisnet.al

klinikasafir@gmail.com

www.safiridental.com

Argentina:

Zirkontec Srl

Chacabuco 890 - B1602APR

Florida-Peña de Buenos Aires

Tel: +54 11 6009-0861

info@zirkontec.com

zirkontec@gmail.com

www.zirkontec.com

Armenia:

Zirkondent Lab.

Khorenatsi 12-4.

Yerevan

Tel: +374 10 526769

Fax: +374 10 527743

Mobile: +374 91 438881

info@zirkondent.am

Asya:

Zirkonzahn Asya

Dereboyu Cd. No:8/1

34347 Ortakoy Besiktas

Istanbul - Turkey

Tel: +90 212 258 00 09

Fax: +90 212 227 88 10

Mobile: +90 533 277 29 91

info@zirkonzahnasya.com

Australia/New Zealand:

Zirkonzahn AU&NZ Pty/Ltd

3/48 Penshurst St

Willoughby NSW 2068

Tel: +61 299670567

zirkon@bigpond.net.au

Austria:

Zirkonzahn Österreich GmbH

Bede-Weber-Gasse 10

9900 Lienz in Osttirol

Tel: +39 0474 066 660

Fax: +39 0474 066 661

info@zirkonzahn.com

Azerbaijan:

Zirkon Dental Bakı MMC

Dr. Feraid Saleh - Zade

Ahmedli Hodjali Street 3/60

370078 Bakı

Tel: +994 50 6164143

baku@zirkonzahnasya.com

Belarus:

Kronline

Sergey Zhadovich

Komsomolskaja Str. 13 office 92

220030 Minsk

Tel: +375 (0)17 2104833

Tel: +375 (0)17 2202254

info@kronlinedent.com

www.kronlinedent.com

Belgium:

APLEX

Boulevard de l'Humanité 239

1620 Drogenbos (Brussels)

Tel: +32 23767126

Fax: +32 23767162

apex@apexdental.be

Bolivia:

Odontolab

Av. Alameda Junin 121

(Planta Baja)

Sr. Gerson Soto Meza

T.D. Wilfredo Ruiz Taquia

Tel: +591 76049505

Tel: +591 72157991

Fax: +591 3305072

zirkonzahnbolivia@gmail.com

gersonsgm@yahoo.com

Brazil:

Talmax

Av. Manoel Ribas, 2183

80.810-000

Curitiba, Pr - Brazil

Tel: +55 41 3888-5507

Fax: +55 41 3888-5550

johny@talmax.com.br

www.talmax.com.br

Bulgaria:

Denta Limar

Str. Tzar Ivan Aleksander, 14A

4000 Plovdiv

Tel: +359 (0)32 631309

Fax: +359 (0)32 664670

info@dentalimar.com

www.dentalimar.com

Canada:

KerenOr Dental Studio

Mr. Haim Keren

1310 Greene Ave. #540

H3Z 2B2 Westmount (Montreal),

Quebec

Tel: +1 514 989 7887

Fax: +1 514 982 9021

info@kerenor.ca

Chile:

Laboratorio Corpodent Ltda.

Apoquindo 3401 Of. 42

(Las Condes)

Santiago de Chile

Tel: +56 22313569

Tel: +56 998425038

Tel: +56 22313572

laboratorio@corpodent.cl

Colombia:

Zirkonzahn Colombia

Cra. 7C N° 125-33

Barrio Santa Barbara

Bogotá

Tel: +57 1 5200866

Fax: +57 1 4724106

zirkonzahncolombia@yahoo.es

Croatia:

Apolonia D.O.O.

52220 Labin

Dubrovnik b.b.

Tel: +38 5915003425

info@apolonia.hr

www.apolonia.hr

Czech Republic:

Dentack

Dukelských hrdinů 1640

272 01 Kladno

Tel/Fax: +420 312 240 113

info@dentack.cz

www.dentack.cz

Denmark:

Center Scandinaavia A/S

Urlevsvej 6B, Braaekov

8783 Homslid

Tel: +45 76832143

Fax: +45 7022 7158

jmo@cenger.com

www.cenger.com

Egypt:

Zirkonzahn Egypt

Almuhandesin - 20 Shehab St.

Cairo

Tel: +202 37613949

Tel: +202 37626864

Fax: +202 37613949

Mobile: +20 114415711

atef@zirkonzahnasya.com

Estonia:

Megadental OÜ

Iowa Jõrg

Pae 25

11414 Tallinn

Tel: +37 25070643

zirkonzahn.tallinn@gmail.com

Finland:

Estech Oy

Lapinlahdenkatu 7 C 18

00180 Helsinki

Tel: +35 8503711200

Tel: +35 8934340410

estech@kolumbus.fi

France:

Zirconlab

7B Rue Albert Schweitzer

67550 Eckwersheim

Tel: +33 388695544

Fax: +33 388693332

zirconlab@wanadoo.fr

www.zirconlab.com

Laboratoire Fouquier

Richard Fouquier

9 Place du Général Dosse

05200 Embrun

Tel: +33 492537156

rvf.lab@wanadoo.fr

www.richard-fouquier.com

Georgia:

David Khmaladze

Dolidze Str. VI Kopm.App. 41

0171 Tbilisi

Tel: +995 99100299

misha70@mail.ru

Greece:

Novadental Ltd.

Veranzerou 23

10432 Athens

Tel: +30 2105233307

Fax: +30 2105237657

novadental@ath.forthnet.gr

Guatemala:

Flavio Alejandro Mont

Av. Reforma 12-01 z.10 oficina 10-03

Guatemala City

Tel: +502 22208069

Tel: +502 23343674

Tel: +502 41888809

flavio903@hotmail.com

allzirkon@hotmail.com

Hungary:

DentAvantArt Kft.

Virágölgéyi u. 59

9400 Sopron

Tel: +36 99314931

Fax: +36 99318647

dentav@t-online.hu

www.dentavantart.hu

India:

Glaze Dental Depo PVT. LTD

Shop NO 9,Ram Rahim Manzil

Ambadi Road, Vasai Road(w)

401202 Thane

Tel:+91 9819368211

Fax: +91 26963153

vishal@glazedepo.com

Iran:

Zirkonzahn Iran

Salamat dandan ziba ltd

m.yaman Alsabouni

tehran - modares highway -

razmandegan st - no 4 floor 2

Tel: +98 21 88324000

Mobile: +98 91 02008506

zirkon-iran@zirkonzahnasya.com

Israel:

Shenhav-Dental Studio

7 Ha-Omanim St.

67897 Tel-Aviv

Tel: +972 35620429

Fax: +972 35627880

shenhavlab@gmail.com

Japan:

Toshin Dental Supply Inc.

1063 Kashimada Saiwaiku

212-0058 Kawasaki City

Tel: +81 445551013

Fax: +81 445225577

info@toshin-dental.com

Jordan:

Zirkonzahn Jordan

Shmesani, Amman

Mobile: +962 777303139

Mobile: +962 797304139

Fax: +962 65688383

www.zirkonzahnjordan.com

info@zirkonzahnjordan.com

Kazakhstan:

Luch Ltd.

50, Satpaev Str.

050057 Almaty

Tel: +7 727 2749800

Tel: +7 727 2749843

Fax: +7 727 2740157

order1@luch.org

info@luch.org

www.luch.org

Korea:

High Dental Korea Co.,Ltd.

207, 2dong,

ACE hitech city, 55-20,

Mullae-dong 3-ga,

Yeongdeungpo-gu, Seoul

Tel: +82 27798597

Fax: +82 27787459

hidk@yahoo.com

www.hidk.co.kr

Libya:

Zirkonzahn Libia

Tasharukiati Almasar Altubbe

Tripoli

Tel: +218 925171424

Fax: +218 217258397

Mobile: +218 924251413

masardent@ymail.com

Lithuania: