

MARATHON MULTI 600

Mikromotor bez četkica
1.000 – 50.000 o/min
Višenamenski pogon
Precizna tehnologija
Veoma tih pri radu
Mehanizam zaštite od prašine
Ergonomičan dizajn
Keramički ležajevi
Dva položaja: NA STOLU ili KOLENO
Sistem za samostalnu dijagnozu
ERROR CODE – displej funkcija
AUTO – CRUISE SPEED funkcija

NASADNIK BEZ ČETKICA
SDE-BH60

1.000 – 50.000 o/min
Snaga 230W
Max. Torque 760 gf • Cm
Težina nasadnika 238g

Br.Art. Artikal

600 Mikromotor Marathon Multi 600



MARATHON MULTI 600 Standard

Mikromotor bez četkica
1.000 – 50.000 o/min
Precizna tehnologija
Veoma tih pri radu
Mehanizam zaštite od prašine
Ergonomičan dizajn
Keramički ležajevi
Položaj na stolu
Kontrola obrtaja rukom ili podnom
papučom
Sistem za samostalnu dijagnozu
ERROR CODE – displej funkcija
AUTO – CRUISE SPEED funkcija

NASADNIK BEZ ČETKICA SDE-BH60

1.000 – 50.000 o/min
Snaga 230W
Max. Torque 760 gf • Cm
Težina nasadnika 238g

Br.Art. Artikal

600S Mikromotor Marathon Multi 600 Standard



MARATHON MULTI 600 Duo

1.000 – 40.000 o/min
Višenamenski pogon
"Dual control system"- za jedan nasadnik bez četkica i jedan nasadnik sa četkicama
Precizna tehnologija
Veoma tih pri radu
Mehanizam zaštite od prašine
Ergonomičan dizajn
Keramički ležajevi
Položaj na koleno
Sistem za samostalnu dijagnozu
ERROR CODE – displej funkcija
AUTO – CRUISE SPEED funkcija

NASADNIK BEZ ČETKICA
SDE-BH70

1.000 – 40.000 o/min
Snaga 200W
Max. Torque 750 gf • Cm
Težina nasadnika 238g

Br.Art. Artikal

600D Mikromotor Marathon Multi 600 Duo



NASADNIK SA ČETKICAMA
SDE-SH40C
0-40.000 o/min
Snaga 90W
Max.torque:400gf.Cm
Težina nasadnika: 224g





MARATHON HANDY 700

Dual Control system – za nasadnike sa ibez četkica

Višenamenski pogon. Precizna tehnologija
Veoma tih pri radu. Mehanizam zaštite od prašine.
Ergonomičan dizajn. Keramički ležajevi.

Digitalni displej brzine (1.000-50.000 o/min)

Vertikalni položaj. Portabl.

Kontrola brzine manuelno ili na papučicu.

Sistem za samostalnu dijagnozu.

ERROR CODE – displej funkcija.

AUTO – CRUISE SPEED funkcija.

Držać za nasadnik.



NASADNIK SA ČETKICAMA SDE-SH37/LN

0 – 40.000 o/min. Snaga 110W

Max. Torique 540 gf • Cm. Težina 200g

NASADNIK BEZ ČETKICA SDE-BH60

1.000 – 50.000 o/min. Snaga 230W

Max. Torique 760 gf • Cm. Težina 238g

NASADNIK BEZ ČETKICA SDE-BH70

1.000 – 40.000 o/min. Snaga 200W

Max. Torique 750 gf • Cm. Težina 238g

Br.Art. Artikal

H700 Mikromotor Marathon Handy 700

MARATHON HANDY 701

Mikromotor bez četkica. Višenamenski pogon.

Precizna tehnologija. Veoma tih pri radu.

Mehanizam zaštite od prašine. Ergonomičan dizajn.

Keramički ležajevi.

Digitalni displej brzine (1.000-50.000 o/min).

Ugradno postolje za nasadnik.

Sistem za samostalnu dijagnozu

ERROR CODE – displej funkcija

AUTO – CRUISE SPEED funkcija



NASADNIK SDE-BH70S

1.000 – 4500 o/min. Snaga 230W

Max. Torique 850gf • Cm. Težina 228g

NASADNIK BEZ ČETKICA SDE-BH60

1.000 – 50.000 o/min. Snaga 230W

Max. Torique 760 gf • Cm. Težina 238g

NASADNIK SDE-BH77S

1.000 – 45.000 o/min. Snaga 140W

Max. Torique 700 gf • Cm. Težina 196g

Br.Art. Artikal

H701 Mikromotor Marathon Handy 701

MARATHON HANDY - ECO


Ekonomičan mikromotor bez četkica

Višenamenski pogon - RUKA/PAPUČICA

Precizna tehnologija. Veoma tih pri radu

Mehanizam zaštite od prašine. Vertikalni ili horizontalni položaj. Ugrađen držać nasadnika.

Digitalni displej brzine (1.000-45.000 o/min)



NASADNIK SDE-BH70S

1.000 – 45.000 o/min. Snaga 230W

Max. Torique 850 gf • Cm. Težina 228g

NASADNIK SDE-BH77S

1.000 – 45.000 o/min. Snaga 140W

Max. Torique 700 gf • Cm. Težina 196g

Br.Art. Artikal

HECO Mikromotor Marathon Handy - ECO

MARATHON HANDY 702

Za 2 mikromotora sa četkicama. Precizna tehnologija

Veoma tih pri radu. Zaštitni mehanizam od prašine.

Ergonomičan dizajn. Keramički ležajevi. Portabl.

Pogon manuelno ili na papučicu. Vertikalni položaj kućišta. Držać za nasadnik. Više magnetnih držaća za instrumente.

Digitalni displej 1.000-40.000 o/min.

Sistem za samostalnu dijagnozu

Error code funkcija na displeju

Auto-cruise funkcija za brzinu



NASADNIK SDE-SH40C

0-40,000 O/min. Snaga 100W

Max.torque:450gf.Cm. Težina 224gr.

NASADNIK SA ČETKICAMA SDE-SH37LN

0-40,000 O/min. Snaga 100W

Max.torque:450gf.Cm. Težina 200gr.

Br.Art. Artikal

H702 Mikromotor Marathon Handy 702

izdržljivost



MARATHON - 7R Power

Ekonomičan laboratorijski motor sa četkicama
Ugrađen držač za nasadnik. Višenamenski pogon.
Precizna tehnologija. Veoma tih pri radu.
Nema zagrevanja ni nakon višestrasovnog rada,
zahvaljujući efikasnoj elektronici.
Jednostavna promena smer okretanja instrumenta
Reset funkcija. Mehanizam zaštite od prašine.
Vertikalni ili horizontalni položaj kućišta.
Manuelna i na papučicu kontrola brzine.



NASADNIK SA ČETKICAMA SDE-SH37LN
0 – 40.000 o/min. Snaga 50W
Max.torque: 300 gf.Cm. Težina: 200g.

NASADNIK SA ČETKICAMA SDE-H37LN
0 – 35.000 o/min. Snaga 50W
Max.torque: 280 gf.Cm. Težina: 208g.

Br.Art. Artikel

M7RP Mikromotor Marathon - 7R Power

MARATHON - N7

Ekonomičan laboratorijski motor sa četkicama
Kompaktan i ergonomičan dizajn. Ugrađen držač za nasadnik. Višenamenski pogon /ruka - noga.
Precizna tehnologija. Veoma tih pri radu.
Nema zagrevanja ni nakon višestrasovnog rada,
zahvaljujući efikasnoj elektronici.
Jednostavna promena smer okretanja instrumenta.
Mehanizam zaštite od prašine.
Vertikalni ili horizontalni položaj kućišta.
Papučica za kontrolu brzine.



NASADNIK SA ČETKICAMA SDE-SH37LN
0-40.000 o/min. Snaga 90W
Max.torque:400gf.Cm. Težina: 200g.

NASADNIK SA ČETKICAMA SDE-SH40C
0-40.000 o/min. Snaga 90W
Max.torque:400gf.Cm. Težina: 224g

Br.Art. Artikel

MN7 Mikromotor Marathon - N7



MARATHON - N2R Power

Visokokvalitetan motor, modernog dizajna
Ugrađen držač za nasadnik i za instrumente
Snažan motor, konstantno promenljiva kontrola brzine. Precizna tehnologija.
Veoma tih pri radu
Nema zagrevanja ni nakon višestrasovnog rada, zahvaljujući efikasnoj elektronici.
Jednostavna promena pravca okretanja za bolju efikasnost. Automatski sistem zaštite od preopterećenja (reset funkcija).
Papučica za kontrolu brzine.

NASADNIK SA ČETKICAMA SDE-SH37LN
0 – 40.000 o/min. Snaga 50W
Max. Torique 350 gf • Cm. Težina 200g

NASADNIK SA ČETKICAMA SDE-H37LN
0 – 35.000 o/min. Snaga 50W
Max. Torique 300 gf • Cm. Težina 208g

Br.Art. Artikel

N2RP Mikromotor Marathon - N2R Power



MARATHON Escort - II PRO

Visokokvalitetan motor, modernog dizajna. Napredna tehnologija za sve vrste zubotehničkih poslova. Ugrađen držač za nasadnik i za instrumente. Jednim dodiranjem se menja smer okretanja instrumenta, efikasniji rad. Precizna tehnologija. Veoma tih pri radu. Nema zagrevanja ni nakon višestrasovnog rada, zahvaljujući efikasnoj elektronici. Ugodan i miran rad. Ergonomičan dizajn. Automatski sistem zaštite od preopterećenja (reset funkcija). Papučica za kontrolu brzine ili ON/OFF dugme (opcionarno).

NASADNIK SA ČETKICAMA SDE-H37LN
0 – 35.000 o/min. Snaga 35W
Max. Torique 270 gf • Cm. Težina 208g

Br.Art. Artikel

EIIP Mikromotor Marathon Escort - II PRO



Escort - II, III



Zastitni plastični omot. Kompaktan, lako prenosiv. Snažan control-box.
Dugme napred-nazad

ESCORT II

funkcija reset. Kontrola brzine nogom ili on/off dugme (opcija)

ESCORT III

On/Off dugme

Br.Art. Artikal

EII Mikromotor Escort - II
EIII Mikromotor Escort - III

Marathon - 3



Kompaktan i lako prenosiv
Konstantna kontrola brzine
On /off dugme

Br.Art. Artikal

M3 Mikromotor Marathon - 3

Marathon - 4



4 brzine
zaštitni plastični omot
on /off dugme

Br.Art. Artikal

M4 Mikromotor Marathon - 4

MARATHON - N1



Digitalni displej RPM tokom operacija
Mogućnost korišćenja dva različita nasadnika

Snažan motor, kontrola brzine
feedback funkcija
Papučica za kontrolu brzine

Br.Art. Artikal

MN1 Mikromotor Marathon - N1

MARATHON - 7



Papučica za kontrolu brzine
Automatski stop i reset
Promena smera kretanja jednim dodirom,
radi efikasnijeg rada

Br.Art. Artikal

M7 Mikromotor Marathon - 7

MARATHON - H300



Snažan kontrol box
Jednostavne i lake operacije
4 brzine, kada se rukuje manuelno

Br.Art. Artikal

H300 Mikromotor Marathon - H300


MARATHON - 20

OBREZIVAČ GIPSANOG MODELA ZA SVE VRSTE PINDEX SISTEMA

- struganje gipsanog modela
- Dobar i efikasan
- Sistem za sakupljanja prašine
- Jednostavna izmena alatki
- Dobar dizajn i odlična efikasnost

Br.Art. Artikal

M20 Marathon - 20




MARATHON - 103

PARALELOMETAR- frez aparat
JEDNOSTAVNO I POUZDANO REŠENJE TA SVAKU TEHNIKU

Osobine:

- Precizan aparat sa lako pokretnom osovinom
- Držač gipsanog modela
- Efikasna upotreba instrumenata i izvanredna završna obrada
- Kompletan asortiman instrumenata za struganje



Br.Art. Artikel

M103 Mikromotor - 103



Marathon Series Nasadnici bez četkica

#6100 SDE-BH60 Brushless Motor Handpiece



#6210 SDE-BH70S Brushless Motor Handpiece (New Type)



#6200 SDE-BH70 Brushless Motor Handpiece (Power)



#6330 SDE-BH77S Brushless Motor Handpiece (New Slim Type)



#6320 SDE-BH77C Brushless Motor Handpiece (Slim)



#6310 SDE-BH77E Brushless E-Type Motor



vrhunaska preciznost

Marathon Series Nasadnici sa četkicama

#9050 SDE-SH40C Motor Handpiece



#9043 SDE-H35LSP Motor Handpiece (New Type)



#9013 SDE-SH37LN Motor Handpiece (New Type)



#9044 SDE-H37SP Motor Handpiece (New Type) for Milling Machine



#9042 SDE-H37LN Motor Handpiece (New Type)



#9080 SDE-H35LSP Motor Handpiece



#8030 SDE-SH20N Motor Handpiece (Red, Pink, Blue, Ivory)



#9090 SDE-M33E E-Type Motor



#9092 SDE-M33E-B E-Type Motor
Autoclavable



#8010 SDE-H20 Motor Handpiece

#8011 SDE-SH20 Motor Handpiece



#9091 SDE-M40E E-Type Motor



#7010 SDE-ES6 Straight Handpiece
Autoclavable



#9041 SDE-H37L Motor Handpiece



#3010 SDE-H300 Motor Handpiece



SMT kompanija specijalizovna za projektovanje, proizvodnju i razvoj mikromotora i nasadnika za zubne tehnicare.

Zahvaljujuci konstantnom razvoju tehnickih inovacija u oblasti mikromotora za zubnu tehniku, ova kompanija od godine osnivanja 1976 pa do danas belezi ogroman internacionalan upeh, uz moto **"To be leader on our field"** – da budemo lideri na nasem polju.

Danas se **SMT** proizvodi prodaju sirom sveta.